

# Well•Worth®

PERFORMANCE PRODUCTS

## SAFETY DATA SHEET

### SECTION 1

### PRODUCT INFORMATION

Product Name: 4010 KOLOR KING – all colors (aerosol)      Date of preparation: June 1, 2015  
 Product Codes: 4010-00 through 4010-76 (All Kolor King Dyes)  
 Product Use: Vinyl and Carpet Flexible Dyes  
 Supplier: Well•Worth Products, Inc., 180 Dutton Avenue, Buffalo, NY 14211  
 Ph: 716.597.0214 Fax: 716.597.0217 Toll Free: 1.800.890.7935 www.wellworthproducts.com

#### EMERGENCY PHONE: CHEM-TREC 1.800.424.9300

This product conforms to current CARB and OTC regulations  
 This product contains no phosphates  
 This product contains no NPEO (nonylphenol polyethoxylate)

### SECTION 2

### HAZARDS IDENTIFICATION

#### GHS – Classification

##### Physical hazards

Flammable aerosols	Category 1
Gases under pressure	Liquefied gas

##### Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Reproductive toxicity	Category 1
Specific target organ toxicity, single exposure	Category 3 narcotic effects
Specific target organ toxicity, repeated exposure	Category 2

##### Environmental hazards

Hazardous to the aquatic environment, acute hazard	Category 2
Hazardous to the aquatic environment, long-term hazard	Category 3



GHS label elements

Signal word

DANGER

Hazard statements

H229: Pressurized container: may burst if heated  
 H302: Harmful if swallowed  
 H320 Causes eye irritation  
 H333: May be harmful if inhaled

Precautionary statements

P102: Keep out of the reach of children  
 P103: Read product label before using  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211: Do not spray on an open flame or other ignition source.  
 P251: Do not pierce or burn, even after use.  
 P235 + 410: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 P261: Avoid breathing vapors  
 P264: Wash hands after handling  
 P270: Do not eat, drink or smoke when using this product.  
 P280: Wear eye protection.  
 P331: Do not induce vomiting  
 P370 + P378: In case of fire: use dry chemical, foam or water spray for extinction.  
 P501: Dispose of container / contents to approved disposal site in accordance with all local and national regulations.

Route of Entry:

Target Organs:

English: No available information  
 Español: No hay nada información  
 Français: Aucun renseignement disponible

Inhalation:

English: May cause mild irritation.  
 Español: Puede causar irritación leve.  
 Français: Peut provoquer l'irritation sévère.

Skin Contact:

English: May cause skin irritant  
 Español: Irritante de Piel  
 Français: Peut provoquer une peau douce irritantes

Eye Contact:

English: May cause mild to moderate irritation.

Español: Puede causar irritación leve.  
 Français: Peut provoquer l'irritation sévère.

Ingestion:  
 English: May cause irritation to the mucous membranes.  
 Español: Es posible causar irritación a las mucosas.  
 Français: Peut entraîner une irritation pour les muqueuses.

### **SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient/Chemical Name	CAS #
ACETONE	67-64-1
N-BUTANE	106-97-8
PROPANE	74-98-6
TOLUENE	108-88-3
METHYL ETHYL KETONE	78-93-3
PROPYLENE GLYCOL METHYL ETHER ACETATE	108-65-6
1-METHYL-2-PYRROLIDONE	872-50-4
BUTYL BENZYL PHTHALATE	85-68-7
ETHYLBENZENE	100-41-4

Other components below reportable levels

### **SECTION 4 FIRST AID MEASURES**

Inhalation:  
 English: If breathing is difficult or irritating, move person to fresh air immediately.  
 Español: Si respiración está difícil o irritante, se mueva la persona al aire fresco inmediatamente.  
 Français: En cas de difficultés respiratoires ou d'irritation, transporter immédiatement la personne à l'air frais.

Skin Contact:  
 English: Rinse area with soap and water.  
 Español: Enjuaga el área con jabon y agua.  
 Français: La région de rinçage avec le savon et l'eau.

Eye Contact:  
 English: Flush immediately with large amounts of clean water, lifting upper and lower lids occasionally. Do not rub eyes. If any irritation persists, seek medical attention.  
 Español: Vacie inmediatamente con mucho agua limpio por un mínimo de 15 minutos, levantándose los párpados superiores y inferiores de vez en cuando. No se frote los ojos. Si la irritación persiste, busque la atención médica inmediatamente.  
 Français: Rincer immédiatement à grande eau propres pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps à autre. Ne pas se frotter les yeux. Si une irritation persiste, chercher l'attention médicale.

Ingestion:  
 English: Do not induce vomiting. If the person is conscious, give two glasses of water to dilute the ingested material. Follow up with several glasses of fruit juice or very dilute vinegar or carbonated soda to neutralize the alkaline material. Small

amounts that may have accidentally entered the mouth should be rinsed out thoroughly with water. Seek medical attention immediately.

Español: No induzca vómitos. Si la persona está consciente, dé dos gafas del echar agua para diluir el material ingerido. Siga varias gafas de zumo de fruta o vinagre muy diluido o soda carbónica para neutralizar la sustancia alcalina. Las pequeñas cantidades que pueden haber entrado por casualidad en la boca deberían ser aclaradas a fondo con el echar agua. Busque la asistencia médica inmediatamente.

Français: Ne pas faire vomir. Si la personne est consciente, lui donner plusieurs verres d'eau pour diluer les matériaux absorbés. Les petites quantités qui peuvent avoir pénétré la bouche doivent être rincées avec de l'eau. En cas d'irritation persistante, contacter immédiatement un médecin.

## **SECTION 5 FIRE FIGHTING MEASURES**

Flash Point -156.0 °F (-104.4 °C) estimated UEL: 12.8% Vol LEL: 1.3% Vol

Extinguishing Media: Wear NIOSH approved self-contained breathing apparatus or equivalent and full protective gear. Use water spray to cool fire-exposed containers in order to prevent pressure build up.

Special Firefighting Procedures: Do not use water jet as an extinguisher, as this will spread the fire.

Unusual Fire and Explosion Hazards: Extremely flammable aerosol. Contents under pressure.

Pressurized container may explode when exposed to heat or flame..

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

English: Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in a chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

Español: Contenga los derramamientos grandes con diques para prevenir la entrada a los canales y alcantarillas sanitarias y transferir el material a los contenedores para recuperación o disposición. Absorber / trampa material restante o pequeños derrames con material inerte material (tierra, arena, absorbente industrial) y luego en un recipiente para residuos químicos. Lavar el área del derrame residual con grandes cantidades de agua. Deseche todos los materiales de la limpieza de acuerdo con las leyes federales, estatales y de salud local y medio ambiente.

Français: Contenir les déversements majeurs avec des digues afin d'éviter qu'ils ne pénètrent les voies d'eau et les égouts sanitaires. Transférer les matériaux dans des conteneurs appropriés aux fins de réclamation ou d'élimination. Absorber/cerner les matériaux restants ou les déversements mineurs avec des matériaux inertes (impuretés, sable, absorbant industriel) et les placer ensuite dans des conteneurs pour déchets chimiques. Rincer la zone de déversement résiduel à grande quantité d'eau Procéder à la mise au rebut des matériaux de nettoyage conformément à toutes les réglementations sanitaires et environnementales au niveau national, régional et local.

**SECTION 7****HANDLING AND STORAGE**

## Handling Precautions:

English: Wear proper Personal Protective Equipment when handling.  
 Español: Lleve puesto el Equipo Protector Personal apropiado manejando.  
 Français: Portez l'Équipement Protecteur Personnel nécessaire en manipulant.

## Storage Requirements:

English: Keep away from children.  
 Español: Mantiene a distancia los niños.  
 Français: Tenir à l'écart des enfants.

**SECTION 8****EXPOSURE CONTROL/PERSONAL PROTECTION**

## Exposure Controls

English: Local exhaust recommended.  
 Español: Extractor local está recomendado  
 Français: Évacuation locale recommandée.

## Protective Equipment:

English: Rubber, neoprene, vinyl, nitrile, butyl or PVC coated gloves recommended. Safety glasses or goggles recommended.  
 Español: El caucho, el neopreno, el vinilo, el nitrilo, el butilo o los guantes cubierto con PVC están recomendados. Gafas de seguridad o anteojos están recomendados.  
 Français: Le caoutchouc, le néoprène, le vinyle, nitrile, le butyle ou les gants enduits de polychlorure de vinyle recommandés. Les verres de sécurité ou les lunettes de protection recommandées.

**SECTION 9****PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Liquid	Appearance and odor:	Various colors, solvent odor
Boiling Point:	ND	Specific Gravity (H <sub>2</sub> O = 1):	0.72
Vapor Pressure:	2265.11 hPa estimated	Evaporation Rate:	< 1 (n-Butyl Acetate = 1)
Vapor Density:	NA	pH:	NA
Solubility in water:	Soluble	Freeze Point:	NA
V.O.C.	0.0 g/L		

**SECTION 10****STABILITY AND REACTIVITY**

## Stability:

English: Yes  
 Español: Si  
 Français: Oui

## Conditions to avoid:

English: Nothing Known.  
 Español: Nada conocido.  
 Français: Rien de su.

## Materials to avoid (incompatibility):

English: Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Español: Heat. Evite temperaturas superiores al punto de inflamación. El contacto con Incompatibles materiales.  
 Français: Heat. Eviter les températures supérieures au point d'éclair. Contact avec Incompatibles matériaux.

**Hazardous Decomposition products:**

English: Carbon Monoxide and other hazardous chemicals.  
 Español: Monóxido de carbono y otros productos químicos arriesgados.  
 Français: Oxyde de carbone et d'autres produits chimiques les hasardeux.

**Hazardous Polymerization**

English: Will not occur  
 Español: No ocurrirá  
 Français: Aucun risqué

**SECTION 11**

**TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Inhalation: May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

**SECTION 12**

**ECOLOGICAL INFORMATION**

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Components Species Test Results

ACETONE (CAS 67-64-1)

Aquatic

Crustacea EC50 Water flea (*Daphnia magna*) 21.6 - 23.9 mg/l, 48 hours

Fish LC50 Rainbow trout, donaldson trout 4740 - 6330 mg/l, 96 hours (*Oncorhynchus mykiss*)

BUTYL BENZYL PHTHALATE (CAS 85-68-7)

Aquatic

Crustacea EC50 Water flea (*Daphnia magna*) > 0.96 mg/l, 48 hours

Fish LC50 Shiner perch (*Cymatogaster aggregata*) 0.47 - 0.56 mg/l, 96 hours

ETHYLBENZENE (CAS 100-41-4)

Aquatic

Crustacea EC50 Water flea (*Daphnia magna*) 1.37 - 4.4 mg/l, 48 hours

Fish LC50 Fathead minnow (*Pimephales promelas*) 7.5 - 11 mg/l, 96 hours

METHYL ETHYL KETONE (CAS 78-93-3)

**Aquatic**

Crustacea EC50 Water flea (*Daphnia magna*) 4025 - 6440 mg/l, 48 hours

Fish LC50 Sheepshead minnow (*Cyprinodon variegatus*) > 400 mg/l, 96 hours

**TOLUENE (CAS 108-88-3)****Aquatic**

Crustacea EC50 Water flea (*Daphnia magna*) 5.46 - 9.83 mg/l, 48 hours

\* Estimates for product may be based on additional component data not shown.

Fish LC50 Coho salmon, silver salmon 8.11 mg/l, 96 hours

(*Oncorhynchus kisutch*)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-METHYL-2-PYRROLIDONE -0.54

ACETONE -0.24

BUTYL BENZYL PHTHALATE 4.91

ETHYLBENZENE 3.15

METHYL ETHYL KETONE 0.29

N-BUTANE 2.89

PROPANE 2.36

TOLUENE 2.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

<b>SECTION 13</b>	<b>DISPOSAL CONSIDERATIONS</b>
-------------------	--------------------------------

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose in accordance with all applicable regulations.

Hazardous waste code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

**SECTION 14****TRANSPORT INFORMATION**

DOT Transportation Data (49 CFR 172.101):

In limited quantities this product is a CONSUMER COMMODITY ORD-D, non-regulated.

English: This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

Español: Este producto no es clasificado como peligrosos con arreglo a los reglamentos de transporte por carretera, ferrocarril, marítimo o el transporte aéreo.

Français: Ce produit n'est pas classé comme dangereuses selon les règlements de transport pour la route, rail, mer ou air transport.

UN Number: None allocated

UN Shipping Name: None allocated

Class & Subsidiary risk: None allocated. Not Hazardous Packing Group: None allocated

Special Precautions for user: None. See section 5,6,7 & 8 for any associated handling and precautions.

Hazchem code: None allocated.

**SECTION 15****REGULATORY INFORMATION**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Sub pt. D) Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

BUTYL BENZYL PHTHALATE (CAS 85-68-7) Phthalates Action Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

ACETONE (CAS 67-64-1) Listed.

BUTYL BENZYL PHTHALATE (CAS 85-68-7) Listed.

ETHYLBENZENE (CAS 100-41-4) Listed.

METHYL ETHYL KETONE (CAS 78-93-3) Listed.

N-BUTANE (CAS 106-97-8) Listed.

PROPANE (CAS 74-98-6) Listed.

TOLUENE (CAS 108-88-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes

Fire Hazard - Yes



Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance  
Not listed.

SARA 311/312 Hazardous chemical  
No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
TOLUENE	108-88-3	10 to <20
1-METHYL-2-PYRROLIDONE	872-50-4	0.1 to <1
ETHYLBENZENE	100-41-4	0.1 to <1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ETHYLBENZENE	100-41-4
TOLUENE	108-88-3

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

N-BUTANE	106-97-8
PROPANE (CAS 74-98-6)	

Safe Drinking Water Act (SDWA)

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

ACETONE (CAS 67-64-1)	6532
METHYL ETHYL KETONE (CAS 78-93-3)	6714
TOLUENE (CAS 108-88-3)	6594

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

ACETONE (CAS 67-64-1)	35 %WV
METHYL ETHYL KETONE (CAS 78-93-3)	35 %WV
TOLUENE (CAS 108-88-3)	35 %WV
DEA Exempt Chemical Mixtures Code Number	
ACETONE (CAS 67-64-1)	6532
METHYL ETHYL KETONE (CAS 78-93-3)	6714
TOLUENE (CAS 108-88-3)	594

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)  
Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.(a))

1-METHYL-2-PYRROLIDONE (CAS 872-50-4)  
ACETONE (CAS 67-64-1)  
BUTYL BENZYL PHTHALATE (CAS 85-68-7)  
CARBON BLACK (CAS 1333-86-4)  
ETHYLBENZENE (CAS 100-41-4)  
METHYL ETHYL KETONE (CAS 78-93-3)  
N-BUTANE (CAS 106-97-8)  
TOLUENE (CAS 108-88-3)

US.

Massachusetts RTK - Substance List

1-METHYL-2-PYRROLIDONE (CAS 872-50-4)  
ACETONE (CAS 67-64-1)  
BUTYL BENZYL PHTHALATE (CAS 85-68-7)  
CARBON BLACK (CAS 1333-86-4)  
ETHYLBENZENE (CAS 100-41-4)  
METHYL ETHYL KETONE (CAS 78-93-3)  
N-BUTANE (CAS 106-97-8)  
PROPANE (CAS 74-98-6)  
TOLUENE (CAS 108-88-3)

US.

New Jersey Worker and Community Right-to-Know Act

1-METHYL-2-PYRROLIDONE (CAS 872-50-4)  
ACETONE (CAS 67-64-1)  
BUTYL BENZYL PHTHALATE (CAS 85-68-7)  
CARBON BLACK (CAS 1333-86-4)  
ETHYLBENZENE (CAS 100-41-4)  
METHYL ETHYL KETONE (CAS 78-93-3)  
N-BUTANE (CAS 106-97-8)  
PROPANE (CAS 74-98-6)  
TOLUENE (CAS 108-88-3)

US.

Pennsylvania Worker and Community Right-to-Know Law

1-METHYL-2-PYRROLIDONE (CAS 872-50-4)  
ACETONE (CAS 67-64-1)  
BUTYL BENZYL PHTHALATE (CAS 85-68-7)  
CARBON BLACK (CAS 1333-86-4)  
ETHYLBENZENE (CAS 100-41-4)  
METHYL ETHYL KETONE (CAS 78-93-3)  
N-BUTANE (CAS 106-97-8)  
PROPANE (CAS 74-98-6)  
TOLUENE (CAS 108-88-3)

US.

Rhode Island RTK

1-METHYL-2-PYRROLIDONE (CAS 872-50-4)  
ACETONE (CAS 67-64-1)  
BUTYL BENZYL PHTHALATE (CAS 85-68-7)

ETHYLBENZENE (CAS 100-41-4)  
 METHYL ETHYL KETONE (CAS 78-93-3)  
 N-BUTANE (CAS 106-97-8)  
 PROPANE (CAS 74-98-6)  
 TOLUENE (CAS 108-88-3)

US.  
 California Proposition 65  
 WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US  
 California Proposition 65 - CRT: Listed date/Carcinogenic substance  
 ETHYL ALCOHOL (CAS 64-17-5) Listed: April 29, 2011  
 ETHYLBENZENE (CAS 100-41-4) Listed: June 11, 2004  
 SILICA, CRYSTALLINE QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

US  
 California Proposition 65 - CRT: Listed date/Developmental toxin  
 1-METHYL-2-PYRROLIDONE (CAS 872-50-4) Listed: June 15, 2001  
 BUTYL BENZYL PHTHALATE (CAS 85-68-7) Listed: December 2, 2005  
 ETHYL ALCOHOL (CAS 64-17-5) Listed: October 1, 1987  
 TOLUENE (CAS 108-88-3) Listed: January 1, 1991

US  
 California Proposition 65 - CRT: Listed date/Female reproductive toxin  
 TOLUENE (CAS 108-88-3) Listed: August 7, 2009

## SECTION 16 OTHER INFORMATION



**NFPA**  
 Health 2  
 Fire 4  
 Reactivity 0

English:	Do not allow this product to freeze.
Español:	No permita que este producto congelar.
Français:	Ne laissez pas ce produit fige.

Disclaimer:  
 English: To the best of our knowledge, this MSDS conforms to the requirements of US OSHA 29 CFR 1910.1200. The information contained herein is based on data considered accurate to the best of our knowledge at the date of its publication. However, no warranty is expressed or implied regarding the accuracy, completeness, or adequacy of the information contained herein. We reserve the right to revise Material Safety Data Sheets from time to time as new technical information becomes available. The manufacturer and/or supplier shall not be held liable (regardless of fault) to the user or third persons, or anyone for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing

of such information. Each user must review this MSDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company so we can attempt to obtain additional information from our suppliers.

The user has the responsibility to contact the Company to make sure that the MSDS is the latest one issued.

Please carefully read and understand all labels before using product

**Renuncia de responsabilidad:**

**Español:** A lo mejor de nuestros conocimientos, este MSDS se ajusta a las exigencias de Estados Unidos OSHA 29 CFR 1910.1200. La información contenida en este documento se basa en datos considerados precisas a lo mejor de nuestros conocimientos en la fecha de su publicación. Sin embargo, ninguna garantía es expresa o implícita con respecto a la exactitud, integridad o adecuación de la información contenida en este documento. El fabricante o el proveedor no se hace responsable (independientemente de la culpa) para el usuario o terceras personas o cualquier persona por los daños directos, indirectos, especiales o consecuentes derivados de o en relación con la exactitud, integridad, adecuación o suministro de dicha información. Cada usuario debe revisar este MSDS en el contexto de cómo el producto se controlan y se utilizará en el lugar de trabajo. Si aclaraciones o información adicional es necesaria para garantizar que se puede realizar una evaluación adecuada del riesgo, el usuario debe ponerse en contacto con esta empresa por lo que nosotros podemos intentar obtener información adicional de nuestros proveedores.

Por favor, cuidadosamente leer y entender todas las etiquetas antes de utilizar el producto

**Avis de non-responsabilité :**

**Français:** Le meilleur de notre connaissance, cette fiche signalétique est conforme aux exigences de la US OSHA 29 CFR 1910.1200. Les informations contenues dans le présent document sont basées sur les données considérées comme exactes au meilleur de notre connaissance à la date de sa publication. Cependant, aucune garantie est exprimée ou implicite concernant l'exactitude, l'exhaustivité ou l'adéquation des informations contenues dans les présentes. Le fabricant ou le fournisseur ne peut être tenue responsable (indépendamment de la panne) à l'utilisateur ou des tiers ou quiconque des dommages directs, indirects, spéciaux ou consécutifs, découlant d'ou en relation avec la précision, l'exhaustivité, pertinence ou à la fourniture de ces informations. Chaque utilisateur doit examiner cette fiche signalétique dans le contexte de comment le produit est traité et utilisé en milieu de travail. Si clarification ou complément d'information est nécessaire pour garantir qu'une évaluation appropriée du risque peut être effectuée, l'utilisateur doit contacter cette société afin de nous pouvons tenter d'obtenir des informations complémentaires auprès de nos fournisseurs.

Veillez lire attentivement et comprendre toutes les étiquettes avant d'utiliser le produit

End of MSDS document    Fin del documento MSDS    Fin de la fiche signalétique du document